

DOE RES. CONTROL
INCOMING LTR NO.

2325 RF 95

E
TE

TION



Department of Energy

ROCKY FLATS FIELD OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

SEP 15 1995

95-DOE-14127



000058565

Mr. Stephan Hahn
Kaiser-Hill
Building T-130C
Rocky Flats Environmental Technology Site
Golden, CO 80403

Dear Mr. Hahn:

This letter forwards a copy of the Headquarters approval of the Operable Unit 15
Corrective Action Decision/Record of Decision.

A copy of that letter is enclosed for your inclusion in the Administrative Record. The sand
in the hour glass is about gone. Operable Unit 15 will soon be in the history books.

Sincerely,

William N. Fitch

William N. Fitch
Product Development Division

Enclosure

cc w/o Enclosure:
J. Roberson, AMEP, RFFO
F. Lockhart, DAMEP, RFFO
J. Wienand, E&M, RFFO
J. Kerridge, PDD, RFFO
M. Bell, PDD, RFFO
D. Schubbe, RMRS
T. Howell, OCC
Administrative Record



DOE RES. CONTROL X X
DOE RECORD/080
ATS/T130G

Reviewed for Addressee
Corres. Control RFP

9/18/95
DATE BY

Ref Ltr. #

DOE ORDER # 5480.1

ADMIN RECCRD

A-OU15-000286

United States Government

Department of Energy

memorandum

RECEIVED
U.S. DEPT. OF ENERGY

DATE: September 8, 1995

'95 SEP 11 AM 10 35

REPLY TO
ATTN OF: EM-452 (L. Ekman, 3-3992)

SUBJECT: Headquarters Approval of Operable Unit 15: Inside Building Closures

TO: Manager, DOE Rocky Flats Environmental Technology Site
Rocky Flats Field Office

The Corrective Action Decision/Record of Decision for Operable Unit (OU) 15: Inside Building Closures is hereby approved. It is recognized that this closure constitutes the second of the OUs at Rocky Flats to be closed. I am encouraged that we continue to move forward in completing the remediation and closures on the remaining OUs.

Please have your staff call Lea Ekman at 301-903-3992 if you have any questions.

Ralph G. Lightner
for Ralph G. Lightner
Director
Office of Southwestern Programs
Environmental Restoration

CC:
D. Waldrop, EM-20.15420
008673

2/2